

Revised 9/9/13

Wetlands Bureau Decision Report

Decisions Taken
09/02/2013 to 09/08/2013

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2013-01292 TOWN OF ENFIELD
ENFIELD Mascoma Lake

Requested Action:

Impact 1,838 sq. ft. of bank and lakebed to upgrade an existing boat ramp by constructing a 12 ft. x 50 ft. concrete ramp with a 15 ft. x 20 ft. stone toe and installing a 6 ft. x 40 ft. seasonal dock attached to a 6 ft. x 4 ft. concrete pad on Mascoma Lake, in Enfield.

Conservation Commission/Staff Comments:

No comments from Con Com by July 22, 2013

APPROVE PERMIT:

Impact 1,838 sq. ft. of bank and lakebed to upgrade an existing boat ramp by constructing a 12 ft. x 50 ft. concrete ramp with a 15 ft. x 20 ft. stone toe and installing a 6 ft. x 40 ft. seasonal dock attached to a 6 ft. x 4 ft. concrete pad on Mascoma Lake, in Enfield.

With Conditions:

1. All work shall be in accordance with plans by Horizons Engineering revision dated July 25, 2013, as received by the NH Department of Environmental Services (DES) on August 02, 2013.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. Work shall be done during draw down.
5. Appropriate siltation, erosion, and turbidity controls, including a turbidity curtain, shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
6. Upland and bank areas landward of the boat ramp shall not be disturbed by regrading or filling, to minimize the potential for erosion of materials into Mascoma Lake.
7. There shall be no cutting of trees or removal of any stumps from the bank except for the area within which construction of the ramp will take place.
8. The ramp approach shall be crowned so that drainage is directed away from the slope of the ramp.
9. The boat ramp shall be utilized indefinitely as a public access to Mascoma Lake and shall not change in use.
10. The seasonal dock shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
11. Seasonal pier shall be removed from the lake for the non-boating season.
12. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(g), removal of more than 20 cubic yards of material from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Mascoma Lake.
6. The applicant has an average of 256 feet of shoreline frontage along Mascoma Lake.

7. A maximum of 4 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
8. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
9. The Local River Advisory Committee has not submitted comments to the file.

-Send to Governor and Executive Council-

2013-01393 ZOMMER, MICHAEL
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Replenish an existing perched beach, dredge 15 cubic yards from 200 sq. ft. of lakebed to provide depth with a boat slip, remove 54 sq. ft. of material to create a 6 ft. gap at the shoreline in an existing 60 linear ft. breakwater on 107 ft. of frontage along Lake Winnepesaukee, in Moultonborough.

Conservation Commission/Staff Comments:

Con. Com. has no objections.

APPROVE PERMIT:

Replenish an existing perched beach, dredge 15 cubic yards from 200 sq. ft. of lakebed to provide depth with a boat slip, remove 54 sq. ft. of material to create a 6 ft. gap at the shoreline in an existing 60 linear ft. breakwater on 107 ft. of frontage along Lake Winnepesaukee, in Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by Winnepesaukee Marine Construction dated May 28, 2013, as received by the NH Department of Environmental Services (DES) on May 31, 2013.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. All dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
4. No more than 10 cu. yd. of sand may be used to replenish the beach and all sand shall be located above the normal high water line.
5. This permit shall be used only once, and does not allow for annual beach replenishment.
6. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
8. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a major project per Rule Env-Wt 303.02(j), construction or modification of a breakwater.
2. The proposed modification does not add any boat slips to the existing docking system.
3. The applicant has an average of 107 feet of shoreline frontage along Lake Winnepesaukee.
4. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13 Frontage Over 75'.
5. The existing and modified docking facility will provide 2 slips as defined per Rule Env-Wt 101.09 Boat slip, and therefore meets Rule Env-Wt 402.13.
6. The applicant submitted notarized abutter permission for work within the abutter 20 foot setback.
7. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake

Winnepesaukee.

-Send to Governor and Executive Council-

2013-01863 VILLAGE DISTRICT OF EIDELWEISS
MADISON Pea Porridge Ponds

Requested Action:

Place sand on 6 community beaches on Pea Porridge Ponds, in Madison as follows:

- 1) tax map 107, lot 5, place no more than 8 cubic yards of sand;
- 2) tax map 108, lot 9, place no more than 10 cubic yards of sand;
- 3) tax map 105, lot 76, place no more than 6 cubic yards of sand;
- 4) tax map 109, lot 111, place no more than 8 cubic yards of sand;
- 5) tax map 109, lot 112, place no more than 7 cubic yards of sand; and
- 6) tax map 104-105, lot 147, place no more than 8 cubic yards of sand.

APPROVE PERMIT:

Place sand on 6 community beaches on Pea Porridge Ponds, in Madison as follows:

- 1) tax map 107, lot 5, place no more than 8 cubic yards of sand;
- 2) tax map 108, lot 9, place no more than 10 cubic yards of sand;
- 3) tax map 105, lot 76, place no more than 6 cubic yards of sand;
- 4) tax map 109, lot 111, place no more than 8 cubic yards of sand;
- 5) tax map 109, lot 112, place no more than 7 cubic yards of sand; and
- 6) tax map 104-105, lot 147, place no more than 8 cubic yards of sand.

With Conditions:

1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on July 24, 2013.
2. No more sand than the volume indicated in the description above for each beach on the plans may be used and all sand shall be located above the normal high water line.
3. This permit shall be used only once, and does not allow for annual beach replenishment.
4. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(m) Any project that is related to other applications or permits in the wetlands area or wetlands complex in a manner such that if the proposed action were considered to be in a single application the combined impact would be considered major.
2. The proposal is to replenish 6 different community beaches, each individual beach replenishment meets the criteria for a minimum impact project.
3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
5. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the lacustrine resource, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

2006-02986 S & R HOLDINGS LLC
NEW BOSTON Unnamed Wetland

Requested Action:

Approve Permit Time Extension.

APPROVE TIME EXTENSION:

Approve Permit Time Extension.

With Findings:

1. A name change for Wetlands and Non-Site Specific Permit 2006-02986 was issued by the NHDES Wetlands Bureau on July 15, 2011.
2. The original correspondence requesting a name change and the original name change document issued by the NHDES Wetlands Bureau on July 15, 2011 are not found in the application's file.
3. In an amendment request received by the NHDES Alteration of Terrain Program on January 11, 2010, the original property owner requested and was granted a 5 year time extension; WPS-8053A issued January 12, 2010.
4. In an amendment request received by the NHDES Alteration of Terrain Program on June 30, 2011, a name change was requested and granted on July 14, 2011; WPS-8053B.
5. The agent for the project discovered a NHDES Wetlands Bureau permit time extension was not issued and contacted the NHDES Wetlands Bureau in May of 2013.
6. Correspondence submitted by the agent dated July 19, 2013, July 26, 2013, and August 14, 2013, explains that the previous and current owners believed a permit extension was requested and issued with the NHDES Wetlands Bureau name change.
7. At the request of the NHDES Wetlands Bureau a Wetlands and Shoreland Request for Permit Time Extension form was completed and submitted to DES, received on August 15, 2013.
8. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
9. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2008-01250 PARRELLA JR, JOSEPH & SHARON KELLEY
ALTON Lake Winnepesaukee

Requested Action:

Request permit time extension.

Conservation Commission/Staff Comments:

Con Com has no concerns with the proposed project

APPROVE TIME EXTENSION:

Remove an existing 100 linear ft of retaining wall and restore the natural shoreline with rock in the same location, repair the existing stairs in kind, and construct a 2 ft x 22 ft infiltration trench and a 2 ft x 42 ft infiltration trench, on Lake Winnepesaukee, Alton.

With Conditions:

1. All work shall be in accordance with plans by Varney Engineering dated June 23, 2008, as received by DES on July 03, 2008.
2. Area shall be regraded to original contours following completion of work.
3. The area shall be replanted with vegetation similar to pre-existing conditions when the shoreline work has been completed. This permit does not allow for the creation of a lawn in the impacted areas.
4. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
6. Work shall be done during drawdown.
7. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, per RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland after July 1, 2008.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2013-01492 NH DEPT OF TRANSPORTATION
DALTON Unnamed Wetland

Requested Action:

Add a 4 ft. extension to a 24 in. culvert at the inlet and construct a headwall to provide a wider roadway shoulder impacting 40 sq. ft. (24 sq. ft. temporary) of palustrine wetlands.

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

LAC - no comment

APPROVE PERMIT:

Add a 4 ft. extension to a 24 in. culvert at the inlet and construct a headwall to provide a wider roadway shoulder impacting 40 sq. ft. (24 sq. ft. temporary) of palustrine wetlands. NHDOT project 2013-M111-1301.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Maintenance District 1 dated 4/25/13 as received by the Department on June 10, 2013.
2. Any dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Construction equipment shall not be located within surface waters.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be

stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.

8. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

9. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.

10. There shall be no further alteration to wetlands or surface waters without amendment of this permit.

11. Proper headwalls shall be constructed within seven days of culvert installation.

12. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), alteration of less than 20,000 sq. ft. of non-tidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The application and plans indicate the impact area is a palustrine wetland and not riverine so the project is not subject to the stream rules under Env-Wt 900.

2013-01537 WOOLSON, KIMBERLY/TYLER
NEW LONDON Little Sunapee Lake

Requested Action:

Permanently remove an existing 6 ft. x 30 ft. seasonal pier, install two 6 ft. x 30 ft. seasonal piers connected by a 6 ft. x 10 ft. seasonal walkway in a "U" shaped configuration on an average of 200 feet of shoreline frontage on Little Sunapee Lake, in New London.

Conservation Commission/Staff Comments:

No comments from local Con Com by Aug 30, 2013

APPROVE PERMIT:

Permanently remove an existing 6 ft. x 30 ft. seasonal pier, install two 6 ft. x 30 ft. seasonal piers connected by a 6 ft. x 10 ft. seasonal walkway in a "U" shaped configuration on an average of 200 feet of shoreline frontage on Little Sunapee Lake, in New London.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated September 4, 2013, as received by the NH Department of Environmental Services (DES) on September 4, 2013.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. The seasonal piers shall be removed from the lake for the non-boating season.
5. No portion of the piers shall extend more than 30 feet from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a 3 slip docking structure.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 200 feet of shoreline frontage along Little Sunapee Lake.
6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2013-02246

O'NEIL, JOHN

AUBURN Massabesic Lake

Requested Action:

Remove an existing 6 ft. x 30 ft. seasonal pier and install a 10 ft. x 60 ft. seasonal pier adjacent to the existing 25 ft. x 20 ft. public boat ramp on Lake Massabesic in Auburn.

APPROVE PERMIT:

Remove an existing 6 ft. x 30 ft. seasonal pier and install a 10 ft. x 60 ft. seasonal pier adjacent to the existing 25 ft. x 20 ft. public boat ramp on Lake Massabesic in Auburn.

With Conditions:

1. All work shall be in accordance with plans by John O'Neil dated August 26, 2013, as received by the NH Department of Environmental Services (DES) on August 30, 2013.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. The Applicant shall submit an as-built plan of the seasonal pier and the adjacent boat ramp that meets the full requirements of Rule Env-Wt 501.02, Additional Data requirements by May 30, 2014.
4. This shall be the only structure on this water frontage and all portions of the docking structure shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
5. The seasonal pier shall be removed from the lake for the non-boating season.
6. No portion of the pier shall extend more than 60 feet from the shoreline at full lake elevation.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d), installation of a 4 slip seasonal pier.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed pier is designed to provide safe access for high school crew teams. Rule Env-Wt 402.03, Dimensions, as it pertains to width of piers is waived to allow the 10 ft. pier width on the grounds that the pier will provide public benefit and the additional width will facilitate safer access for competitors.

MINIMUM IMPACT PROJECT

2013-01815 LONDONDERRY FISH AND GAME CLUB
LONDONDERRY Unnamed Wetland

Requested Action:

Dredge and fill 994 sq. ft. of palustrine scrub-shrub wetlands to cross an intermittent stream with a pre-cast concrete plank deck bridge to access the rear section of the 400 yard shooting range.

Conservation Commission/Staff Comments:

7/16/13 Londonderry Conservation Commission recommended approval.

APPROVE PERMIT:

Dredge and fill 994 sq. ft. of palustrine scrub-shrub wetlands to cross an intermittent stream with a pre-cast concrete plank deck bridge to access the rear section of the 400 yard shooting range.

With Conditions:

1. All work shall be in accordance with plans by Eric C. Mitchell & Assoc., Inc. dated June 21, 2013, as received by the NH Department of Environmental Services (DES) on July 11, 2013.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Proper headwalls or wingwalls shall be constructed within seven days of bridge installation.
5. Work shall be done during low flow.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2013-01865 MILLEY, DAVID/MILDRED
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Construct a 7 ft. x 3 ft. concrete pad to anchor an existing 6 ft. x 33 ft. seasonal dock with no work to the 4 additional seasonal docks, on an average of 453 feet of shoreline frontage, Lake Winnepesaukee, Moultonborough.

Conservation Commission/Staff Comments:

7/18/13 Con. Com. has no objections.

APPROVE PERMIT:

Construct a 7 ft. x 3 ft. concrete pad to anchor an existing 6 ft. x 33 ft. seasonal dock with no work to the 4 additional seasonal docks, on an average of 453 feet of shoreline frontage, Lake Winnepesaukee, Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design and Construction Management dated June 14, 2013, as received by the NH Department of Environmental Services (DES) on July 12, 2013.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. The concrete pad shall be located above full lake elevation of 504.32 and behind the natural undisturbed shoreline.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(ab) construction of an anchoring pad for a seasonal dock.

FORESTRY NOTIFICATION

2013-01301 YVON, THOMAS
BATH Unnamed Stream

COMPLETE NOTIFICATION:
Bath, Tax Map #16, Lot #39

2013-02358 JOHN J WOLTER TRUST
HAVERHILL Unnamed Stream

COMPLETE NOTIFICATION:
Haverhill, Tax Map #421, Lot #99

2013-02380 ROBERTS, WHIPPLE
TAMWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Tamworth, Tax Map #218, Lot #110

2013-02382 BOFINGER, PAUL
CONCORD Unnamed Stream

COMPLETE NOTIFICATION:
Concord, Tax Map #118, Lot #3, Unit #23

2013-02383 GRAY IRREVOCABLE TRUST
CONCORD Unnamed Stream

COMPLETE NOTIFICATION:
Concord, Tax Map #118, Lot #3, Unit #26

2013-02384 MILLER, SARAH
DEERFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Deerfield, Tax Map #415, Lot #13

2013-02385 WEBSTER LAND CORP
SANDWICH Unnamed Stream

COMPLETE NOTIFICATION:
Sandwich, Tax Map #22, Lot #15

2013-02386 CLAREMONT, CITY OF
CLAREMONT Unnamed Stream

COMPLETE NOTIFICATION:
Claremont, Tax Map #144, Lot #10

2013-02388 CLAREMONT, CITY OF
CLAREMONT Unnamed Stream

COMPLETE NOTIFICATION:
Claremont, Tax Map #61; 62, Lot #16; 5

2013-02393 CARR, JEFF
OSSIPEE Unnamed Stream

COMPLETE NOTIFICATION:
Ossipee, Tax Map #241, Lot #3, 17, 21, 22

2013-02395 MATA, CHRISTIAN/CORINA
WASHINGTON Unnamed Stream

COMPLETE NOTIFICATION:

Washington, Tax Map #2, Lot #2

EXPEDITED MINIMUM

2013-01265 PILLSBURY LAKE DISTRICT
WEBSTER Pillsbury Lake

Requested Action:

Mechanical harvest of vegetation from approximately 20 acres on Pillsbury Lake, in Webster.

Conservation Commission/Staff Comments:

Con Com signed Wet application

APPROVE PERMIT:

Mechanical harvest of vegetation from approximately 20 acres on Pillsbury Lake, in Webster.

With Conditions:

1. All work shall be in within those areas identified on the plans by Aquatic Control Technology dated April 24, 2013, and received by DES on May 16, 2013.
2. The NH Fish and Game Environmental Review Coordinator shall be notified in writing of the date on which harvesting will begin at least 14 days prior to the beginning of the project.
3. If, at any time during the harvesting, NH Fish and Game determines that harvesting poses adverse impact to either the local Wood Turtle or Osprey populations NH Fish and Game may request that the work cease until the risk of adverse impact has been addressed. Work shall cease immediately upon notification of the applicant, or any agent of the applicant, that activities may adversely impact either the local Wood Turtle or Osprey populations, and shall not resume until authorized by NH Fish and Game.
4. All spoil materials shall be off-loaded on the northwest shoreline area as identified on the approved plan and the July 09, 2013 response to the file by Aquatic Control Technology in an area that is: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
5. This permit shall be used only once for aquatic weed harvesting activity only. Future harvesting shall require a separate application and permit.
6. There shall be NO mobilization of lake bed sediments associated with the harvesting of aquatic weeds under this permit.
7. The presence of any turbidity resulting from the weed harvesting activities shall be evidence that the work is not being conducted in compliance with this permit. All weed harvesting activity shall immediately cease if the activity results in turbidity.
8. All harvested material ("spoil material") shall be completely removed from surface waters and shall be deposited as outlined in Condition 4 above.
9. The final deposition area of all spoil material shall be located outside of the DES Wetlands Bureau jurisdiction.
10. No spoil material shall be deposited within 250 feet of any surface water.
11. Equipment initially entering surface waters shall be completely free of any imported aquatic plants and animals.
12. Equipment and watercraft washing/rinsing shall not take place in areas in Wetlands Bureau jurisdictional areas.
13. All work shall be done in a manner so that no water quality degradation results from this aquatic weed control project.
14. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
15. Equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
16. Faulty equipment shall be repaired prior to entering jurisdictional areas.
17. The contractor shall have appropriate oil/diesel fuel spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

18. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
19. No shoreland vegetation between the reference line and the 150 ft natural woodland buffer zone setback shall be disturbed.
20. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(q), projects to control aquatic weeds by cutting above the roots and harvesting.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. NH Fish and Game has no concerns with the proposed project as conditioned affecting species of concern.

2013-02102 BELL, DANNY/JAN
NEW DURHAM Merrymeeting Lake

Requested Action:

Replace an existing 15 linear feet of retaining wall with no modifications, Merrymeeting Lake, New Durham.

Conservation Commission/Staff Comments:

Con Com signed wetland application

APPROVE PERMIT:

Replace an existing 15 linear feet of retaining wall with no modifications, Merrymeeting Lake, New Durham.

With Conditions:

1. All work shall be in accordance with plans by Robert G Rook dated June 29, 2013, as received by the NH Department of Environmental Services (DES) on August 05, 2013.
2. Work shall be done during drawdown.
3. Repair shall maintain existing size, location and configuration.
4. Retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water so as not to create land in public water.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c), repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

2013-02137 ELENKA JULIA CZAJA REVOCABLE TRUST
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Construct a 4 ft. x 4 ft. concrete pad to anchor an existing 4 ft. x 40 ft. seasonal dock, with no work to a second existing 4 ft. x 30 ft. seasonal dock, on an average of 195 feet of shoreline frontage, Lake Winnepesaukee, Moultonborough.

Conservation Commission/Staff Comments:

Con Com signed Wetlands application

APPROVE PERMIT:

Construct a 4 ft. x 4 ft. concrete pad to anchor an existing 4 ft. x 40 ft. seasonal dock, with no work to a second existing 4 ft. x 30 ft. seasonal dock, on an average of 195 feet of shoreline frontage, Lake Winnepesaukee, Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated July 26, 2013, as received by the NH Department of Environmental Services (DES) on August 09, 2013.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. The concrete pad shall be entirely located above full lake elevation and behind the natural undisturbed shoreline.
4. Seasonal piers shall be removed for the non-boating season.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(ab) construction of an anchoring pad for a seasonal dock.

2013-02194 GILMANTON, TOWN OF
GILMANTON Unnamed Stream

Requested Action:

Dredge and fill 114 sq. ft. (43 linear feet) of intermittent stream and associated forested wetlands to replace twin 15-inch diameter x 41.5-foot long CMP culverts with a single 36-inch diameter x 43-foot long culvert within Halmar Road.

Conservation Commission/Staff Comments:

1. The Conservation Commission signed the application waiving their right to intervene.
- 9/4/13 Per DHR, no historic properties affected.

APPROVE PERMIT:

Dredge and fill 114 sq. ft. (43 linear feet) of intermittent stream and associated forested wetlands to replace twin 15-inch diameter x 41.5-foot long CMP culverts with a single 36-inch diameter x 43-foot long culvert within Halmar Road.

With Conditions:

1. All work shall be in accordance with plans by Doiron Environmental LLC dated August 2, 2013, as received by the NH Department of Environmental Services (DES) on August 15, 2013.
2. Work shall be done during low flow.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction,

and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
8. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
9. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
12. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
13. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(ah) Any project that includes any new stream crossing which qualifies as minimum impact under Env-Wt 903.01(e).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2013-02196
PELHAM

TOWN OF PELHAM

Requested Action:

Impact 10 square feet within the bed and bank of an unnamed pond to remove an existing 12-inch culvert and replace with an 18-inch culvert to connect the two (2) dead ends of Surrey Lane for improved emergency response.

APPROVE PERMIT:

Impact 10 square feet within the bed and bank of an unnamed pond to remove an existing 12-inch culvert and replace with an 18-inch culvert to connect the two (2) dead ends of Surrey Lane for improved emergency response.

With Conditions:

1. All work shall be in accordance with plans by Edward N Herbert Assoc., Inc. dated July 2009 and revised 6-22-11, as received by the NH Department of Environmental Services (DES) on August 15, 2013.
2. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
3. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.

4. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
5. Work shall be done during seasonal low flow conditions.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
8. No fill shall be done for lot development.
9. No fill shall take place in Atlantic white cedar swamps.
10. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
11. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(j) Any project not otherwise specified in this section that is located within the right-of-way of a public highway.
2. The impacts are necessary to improve emergency services response time; therefore, the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
6. The Pelham Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.

GOLD DREDGE

2013-02377 ROY, MATTHEW
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

2013-02429 KEYSER, JUSTIN
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

LAKES-SEASONAL DOCK NOTIF

2011-01496 MARSHALL, DAVID
KINGSTON Pow Wow Pond

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure

2013-02287 ZUKOWSKI, JAMES
WEARE Horace Lake

Requested Action:
Installation of a 6 ft. x 30 ft. seasonal dock.

COMPLETE NOTIFICATION:
Installation of a 6 ft. x 30 ft. seasonal dock.

2013-02343 MORRIS, KRISTINA
NEW LONDON Messer Pond

Requested Action:
Installation of a seasonal dock.

COMPLETE NOTIFICATION:
Installation of a seasonal dock.

2013-02399 DEMOS, MARGARET
SANDWICH Barville Pond

Requested Action:
Install a 6 ft. x 30 ft. seasonal dock.

COMPLETE NOTIFICATION:
Install a 6 ft. x 30 ft. seasonal dock.

PERMIT BY NOTIFICATION

2013-02398 ANDORRA FOREST LP
STODDARD Cold Spring Pond

Requested Action:
Excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed, for installation of a dry hydrant.

PBN IS COMPLETE:

Excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed, for installation of a dry hydrant.

2013-02400 HARVEY, JAMES
WINDHAM Cobbett's Pond

Requested Action:

Install a 6 ft. x 30 ft. seasonal dock on Cobbets Pond pursuant to plans dated June 12, 2013, Windham.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN IS COMPLETE:

Install a 6 ft. x 30 ft. seasonal dock on Cobbets Pond pursuant to plans dated June 12, 2013, Windham.

CSPA PERMIT

2013-01716 KENNEALLY, RICHARD
BARNSTEAD Lower Suncook Lake

Requested Action:

Impact 2,416 sq ft in order to relocate a garage onto a concrete foundation with a new septic system, relocate shed, construct a retaining wall, and restore disturbed area with vegetation.

APPROVE PERMIT:

Impact 2,416 sq ft in order to relocate a garage onto a concrete foundation with a new septic system, relocate shed, construct a retaining wall, and restore disturbed area with vegetation.

With Conditions:

1. All work shall be in accordance with plans by Richard Kenneally dated August 2, 2013 and received by the NH Department of Environmental Services (DES) on August 9, 2013.
2. No more than 1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-01727 PRAMBERG, JOHN
KINGSTON Country Pond

Requested Action:

Impact 1,222 sq ft in order to rebuild and expand structure.

APPROVE PERMIT:

Impact 1,222 sq ft in order to rebuild and expand structure.

With Conditions:

1. All work shall be in accordance with revised plans by Paul F. Nichols dated August 7, 2013 and received by the NH Department of Environmental Services (DES) on August 8, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,128 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02152 MCCAMMON FAMILY REVOCABLE TRUST OF 2005, RICHARD
BRISTOL Newfound Lake

Requested Action:

Impact 8,427 sq ft in order to remove existing home and replace with a new home.

APPROVE PERMIT:

Impact 8,427 sq ft in order to remove existing home and replace with a new home.

With Conditions:

1. All work shall be in accordance with plans by B. A. Barnard Ent., inc. dated July 2013 and received by the NH Department of Environmental Services (DES) on August 12, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 28.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,785 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with

applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02167

DUERLOO, HOLLY

NEW DURHAM Merrymeeting Lake

Requested Action:

Impact 12,115 sq ft in order to remove existing residence and construct a new, larger residence more than 50ft from the reference line, expand driveway, remove an existing shed, rebuild a new shed, , construct a patio and walkways, and replace the septic system.

APPROVE PERMIT:

Impact 12,115 sq ft in order to remove existing residence and construct a new, larger residence more than 50ft from the reference line, expand driveway, remove an existing shed, rebuild a new shed, , construct a patio and walkways, and replace the septic system.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated August 1, 2013 and received by the NH Department of Environmental Services (DES) on August 13, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 4.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 20,960 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02181

GARRAHAN, JOHN/LISA

NEW LONDON Pleasant Lake

Requested Action:

Impact 18,503 sq ft in order to demolish existing house and reconstruct a new house with a garage and septic system.

APPROVE PERMIT:

Impact 18,503 sq ft in order to demolish existing house and reconstruct a new house with a garage and septic system.

With Conditions:

1. All work shall be in accordance with plans by CLD Consulting Engineers dated July 2013 and received by the NH Department of Environmental Services (DES) on August 14, 2013.

2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 21.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,149 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02192 BOULDERWOOD TRUST
HOLDERNESS Squam Lake

Requested Action:

Impact 6,860 sq ft in order to renovate an existing residence, construct an addition, reconfigure existing driveway, install walkways patios, and a septic tank.

APPROVE PERMIT:

Impact 6,860 sq ft in order to renovate an existing residence, construct an addition, reconfigure existing driveway, install walkways patios, and a septic tank.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated August 14, 2013 and received by the NH Department of Environmental Services (DES) on August 15, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 17.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,590 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2013-02204 POODIACK, JAMES/LIANA
STODDARD Highland Lake

Requested Action:

Impact 11,319 sq ft in order to construct a single family home with septic.

APPROVE PERMIT:

Impact 11,319 sq ft in order to construct a single family home with septic.

With Conditions:

1. All work shall be in accordance with plans by Forest Designs dated July 25, 2013 and received by the NH Department of Environmental Services (DES) on August 16, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 12% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,047 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2013-02207

RANSOM, CHRISTINE/DONALD

BARRINGTON Swains Pond

Requested Action:

Impact 14,344 sq ft in order to construct a new home with a septic system.

APPROVE PERMIT:

Impact 14,344 sq ft in order to construct a new home with a septic system.

With Conditions:

1. All work shall be in accordance with plans by Norwy Plains Associates, Inc. dated August 2013 and received by the NH Department of Environmental Services (DES) on August 10, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 17.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. In order to remain compliant with RSA 483-B:9, V,(a), each grid segment of the waterfront buffer must meet the minimum required tree, sapling, shrub and groundcover score of 50 points.
5. At least 3,162 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2013-02209 POODIACK, JAMES/LIANA
STODDARD Highland Lake

Requested Action:

Impact 24,408 sq ft in order to construct a single family home, septic system, and a garage.

APPROVE PERMIT:

Impact 24,408 sq ft in order to construct a single family home, septic system, and a garage.

With Conditions:

1. All work shall be in accordance with plans by Forest Designs dated July 25, 2013 and received by the NH Department of Environmental Services (DES) on August 16, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 14% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 6,096 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2013-02291 BOUDREAU, HENRY/SUSAN
SOUTH ACWORTH Cold River

Requested Action:

Impact 132 sq ft in order to add an addition and stairs to an existing structure.

APPROVE PERMIT:

Impact 132 sq ft in order to add an addition and stairs to an existing structure.

With Conditions:

1. All work shall be in accordance with plans by Henry & Susan Boudreau dated August 19, 2013 and received by the NH Department of Environmental Services (DES) on August 22, 2013.
2. No more than 13.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

